



**KSD** SV05 SERIES SLIDE POTENTIOMETERS  
SWITCH CONNECTOR SV05 直滑电位器

Electrical characteristics 电气特性	
Total Resistance Range 总阻值	1K $\leq$ TR $\leq$ 1M $\Omega$
Resistance Tolerance 总阻值容许公差	1K $\Omega$ < TR < 1M $\Omega$ $\pm$ 20%
Resistance Taper 阻值线性	A, B, C taper.
Rating Power 额定功率	0.005W
Slide Noise 杂讯	Less than 100mV Max
Residual Resistance Value 残留阻值 ( $\Omega$ )	20 $\Omega$ Max
Dielectric Voltage 耐电压	For 1 minute or more AC 100V
Insulation resistance 绝缘阻抗	More than 50M $\Omega$ at DC 100V
Mechanical characteristics 机械特性	
Total travel slide 滑动行程	5 $\pm$ 0.5mm & 10 $\pm$ 0.5mm
Operating Force 推动力	10gf.cm~100gf.cm
Lever Torque 止挡强度	2kgf.cm
Environmental characteristics	
Rotational Life 旋转寿命	5,000 cycles

**广东科斯达电子科技有限公司**  
KSDKG Guang dong Keside Electronic Technology Co., Ltd.

TOLERANCE UNLESS OTHERWISE STATED:  
Up to 5  $\pm$ 0.2  
Above 5 ~ 15  $\pm$ 0.3  
Above 15 ~ 30  $\pm$ 0.4  
Above 30 ~ 50  $\pm$ 0.5  
Angle  $\pm$ 0.3'

3RD. ANGEL'S



UNITS MM

DRAWN BY: Jack Lu 07/23/13  
CHECKED BY: Jacky Chen 07/23/13  
APPROVED BY: Tony Kao 07/23/13

MAT'L	TITLE	KSD-SV SLIDING POTENTIOMETER	
FINISH	MODLE	KSD-SV滑动电位器系列	
SCALE	1 : 1	DWG NO.	KSD-SV-0505-G1
SHEET NO.	1 of 1	PART NO.	
		SIZE	A4
		VER	R2

ITEM NO.	DESCRIPTION	DRAWN	DATE
2	公差及料號更新	Jack	072313
1	圖面更新	Frank Wu	021012